



**Sterne Kessler
Goldstein Fox**
ATTORNEYS AT LAW

Robert Greene Sterne
Edward J. Kessler
Jorge A. Goldstein
David K.S. Cornwell
Robert W. Esmond
Tracy-Gene G. Durkin
Michele A. Cimbala
Michael B. Ray
Robert E. Sokohl
Eric K. Steffe
Michael Q. Lee
Steven R. Ludwig
John M. Covert
Linda E. Alcorn
Robert C. Millonig
Lawrence B. Bugaisky
Donald J. Featherstone
Michael V. Messinger

Judith U. Kim
Timothy J. Shea, Jr.
Patrick E. Garrett
Jeffery T. Hevey
Heidi L. Kraus
Crystal D. Sayles
Edward W. Yee
Albert L. Ferro
Donald R. Banowitz
Peter A. Jackman
Molly A. McCall
Teresa U. Medler
Jeffrey S. Weaver
Kendrick P. Patterson
Vincent L. Capuano
Albert J. Fasulo II
Eldora Ellison Floyd
W. Russell Swindell

Thomas C. Fiala
Brian J. Del Buono
Virgil Lee Beaston
Reginald D. Lucas
Kimberly N. Reddick
Theodore A. Wood
Elizabeth J. Haanes
Bruce E. Chalker
Joseph S. Ostroff
Frank R. Cottingham
Christine M. Lhulier
Rae Lynn Prengaman
Jane Shershenovich
Lawrence J. Carroll

Senior Counsel
Samuel L. Fox
Kenneth C. Bass III

Registered Patent Agents
Karen R. Markowicz
Andrea J. Kamage
Nancy J. Leith
Joseph M. Conrad III
Ann E. Summerfield
Helene C. Carlson
Gaby L. Longworth
Matthew J. Dowd
Aaron L. Schwartz
Angelique G. Uy
Boris A. Matvenko
Mary B. Tung

*Admitted only in Maryland
*Admitted only in Virginia
*Admitted only in Texas

August 14, 2002

WRITER'S DIRECT NUMBER:
(202) 371-2550

INTERNET ADDRESS:
EKESSLER@SKGF.COM

Commissioner for Patents
Washington, D.C. 20231

**Hand Carry to Crystal Plaza 4
2201 South Clark Place
Examiner N. Ponomarenko
Art Unit 2834 Room 11/D/03**

Re: U.S. Utility Patent Application
Appl. No. 09/900,635; Filed: July 6, 2001
For: **Automatic Turbogenerator Restarting Method and System**
Inventors: Gilbreth *et al.*
Our Ref: 2066.0240001

RECEIVED
AUG 14 2002
TECHNOLOGY CENTER 2800

Sir:

Transmitted herewith for appropriate action are the following documents:

1. Second Preliminary Amendment;
2. Revocation of Prior Power of Attorney and Appointment of New Attorneys of Record; and
3. One (1) return postcard.

It is respectfully requested that the attached postcard be stamped with the date of filing of these documents, and that it be returned to our courier. In the event that extensions of time are necessary to prevent abandonment of this patent application, then such extensions of time are hereby petitioned.


Handwritten signature/initials

Commissioner for Patents
August 14, 2002
Page 2

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Edward J. Kessler
Attorney for Applicants
Registration No. 25,688

EJK:vcf
Enclosures

::ODMA\MHODMA\SKGF_DC1;45060;1
SKGF Rev. 2/15/02 dew

RECEIVED
AUG 14 2002
TECHNOLOGY CENTER 2800

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

7/Pre-B
Hawkins
8/20/02

In re application of:

Gilbreth *et al.*

Appl. No. 09/900,635

Filed: July 6, 2001

For: **AUTOMATIC
TURBOGENERATOR
RESTARTING METHOD AND
SYSTEM**

Confirmation No. 1265

Art Unit: 2834

Examiner: N. Ponomarenko

Atty. Docket: 2066.024000

RECEIVED
AUG 14 2002
TECHNOLOGY CENTER 2800

Second Preliminary Amendment

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Applicants submit the following Amendment and Remarks. This Preliminary Amendment is provided in the following format:

- (A) A clean version of each replacement paragraph/section/claim along with clear instructions for entry;
- (B) Starting on a separate page, appropriate remarks and arguments. 37 C.F.R. § 1.111 and MPEP 714; and
- (C) Starting on a separate page, a marked-up version entitled: "Version with markings to show changes made."

It is not believed that extensions of time or fees for net addition of claims are required beyond those that may otherwise be provided for in documents accompanying this paper. However, if additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R.

P